

What Is Claimed Is:

1. A dispenser system for a liquid crystal display panel, comprising:
 - at least one table upon which a substrate having a plurality of image display parts is loaded;
 - a plurality of syringes each having a nozzle at one end portion for supplying a dispensing material onto the substrate; and
 - a plurality of robot arms having the plurality of syringes arranged at both sides of the table.
2. The system according to claim 1, wherein a plurality of thin film transistor array substrates are formed on the substrate.
3. The system according to claim 1, wherein a plurality of color filter substrates are formed on the substrate.
4. The system according to claim 1, wherein the plurality of image display parts include at least two groups each having different sizes.

5. The system according to claim 1, wherein the table is moved along horizontal forward/backward and left/right directions.
6. The system according to claim 1, wherein the dispensing material is a sealant material.
7. The system according to claim 1, wherein the dispensing material is a liquid crystal material.
8. The system according to claim 1, wherein the dispensing material is a silver material.
9. The system according to claim 1, wherein the image display parts have a matrix configuration.
10. A method of fabricating a liquid crystal display panel using the dispenser system according to claim 1, comprising moving the table along horizontal forward/backward and left/right directions.

11. A dispensing method for a liquid crystal display panel, comprising:
- mounting a plurality of syringes each having a nozzle at one end portion at a plurality of robot arms arranged at opposing sides of a table;
 - loading a substrate onto the table; and
 - supplying a dispensing material through the nozzles onto the substrate.
12. The method according to claim 11, wherein the dispensing material is one of a sealant material, a liquid crystal material, and a silver material.
13. A dispensing method for a liquid crystal display panel, comprising:
- mounting a plurality of syringes each having a nozzle at one end portion at a plurality of robot arms arranged at opposing sides of first and second tables;
 - loading a substrate having first and second image display parts onto the first table;
 - forming a plurality of first seal patterns along outer edges of the first image display parts by using the syringes;
 - loading the substrate having the first plurality of seal patterns onto the second table; and
 - forming a second plurality of seal patterns along outer edges of the second plurality of image display parts by using the syringes.

14. The method according to claim 13, wherein the first plurality of image display parts each have a first size and the second plurality of image display parts each have a second size different from the first size.

15. A dispensing method for a liquid crystal display panel, comprising:

mounting a plurality of syringes each having a nozzle at one end portion at a plurality of robot arms arranged at opposing sides of first, second, and third tables;

loading a substrate having a plurality of image display parts onto the first table;

forming a plurality of seal patterns along outer edges of the image display parts using the syringes;

loading the substrate having the plurality of seal patterns onto the second table;

dropping liquid crystal material onto the image display parts using the syringes;

loading the substrate having liquid crystal material onto the third table;
and

forming a plurality of silver dots at the outer edges of the image display parts using the syringes.

16. A method of fabricating a liquid crystal display panel using the dispensing method according to claim 15.

17. A method of fabricating a liquid crystal display panel, comprising:

forming a plurality of seal patterns along outer edges of a plurality of image display parts of a first substrate using the a first plurality of syringes;

dropping liquid crystal material onto the image display parts using a second plurality of syringes; and

forming a plurality of silver dots at the outer edges of the image display parts using a third plurality of syringes.

18. A method of fabricating a liquid crystal display panel, comprising:

mounting a plurality of syringes each having a nozzle at one end portion at a plurality of robot arms arranged at opposing sides of a table;

loading a substrate onto the table; and

supplying a dispensing material through the nozzles onto the substrate.

19. The method according to claim 18, wherein the dispensing material is one of a sealant material, a liquid crystal material, and a silver material.